2006 DCCN INDEX

AUTHOR INDEX

All AC. *See* Hays MA
Ancheta IB. A retrospective pilot study: management of patients with heart failure, (5);228–233
Ancheta IB. B-type natriuretic peptide rapid assay: a diagnostic test for heart failure, (4);149–154
Atkinson SB, Carr RL, Maybee P, Haynes D. The challenges of managing and treating Guillain-Barré syndrome during the acute phase, (6);256–263

Bernardo LM, Crane PA. Body mass index basics for critical care nurses, (4);157–160
Bernardo LM, Crane PA, Veenema TG. Treatment and prevention of pediatric heat-related illnesses at mass gatherings and special events, (4);165–171
Bourguignon C. *See* Dumont CJP
Brick K. *See* Keresztes PA
Buckner EB. *See* Godfrey B

Carr RL. *See* Atkinson SB
Catalano JT. Book review, (3);127
Çelik SA, Kanan N. A current conflict: use of isotonic sodium chloride solution on endotracheal suctioning in critically ill patients, (1);11–14
Clark AP, McDougall G. Cognitive impairment in heart failure, (3);93–100
Constantino RE. Book review, (6);272
Constantino RE. *See* Dattilo E
Crane PA. Book review, (5);227
Crane PA. *See* Bernardo LM
Crimlisk JT, O'Donnell C, Grillone GA. Standardizing adult tracheostomy tube styles: what is the clinical and cost-effective impact?, (1);35–43
Cuaderes E. *See* Hays MA

Dattilo E, Constantino RE. Root cause analysis and nursing management responsibilities in wrong-site surgery, (5);221–225
Dumont CJP, Keeling AW, Bourguignon C, Sarembock IJ, Turner M. Predictors of vascular complications post diagnostic cardiac catheterization and percutaneous coronary interventions, (3);137–142

Eigsti J, Henke K. Anatomy and physiology of neurological compensatory mechanisms, (5);197–202
Eigsti J, Henke K. Innovative solutions: development and implementation of a tight blood glucose management protocol: one community hospital's experience, (2);62–65
Eschiti VS. Book review, (3);126

Foote J. *See* Rickard CM

Gessner P. The effects of vasopressin on the renal system in vasodilatory shock, (1);1–8
Giuliano KK, Liu LM. Knowledge of pulse oximetry among critical care nurses, (1);44–49
Godfrey B, Parten C, Buckner EB. Identification of special care needs: the comparison of the cardiothoracic intensive care unit patient and nurse, (6);275–282
Gonzales M. *See* Ruth-Sahd L
Grillone GA. *See* Crimlisk JT

Haynes D. *See* Atkinson SB
Hays MA, All AC, Mannahan C, Cuaderes E, Wallace D. Reported stressors and ways of coping utilized by intensive care unit nurses, (4);185–193
Henke K. *See* Eigsti J
Hsieh H-Y, Tuite PK. Prevention of ventilator-associated pneumonia: what nurses can do, (5);205–208
Hurst S. *See* Martin M
Hurst SM. Answering without an answer, (5);245–246
Hurst SM. Book review, (5);226

Ihlenfeld JT. Managing requests regarding herbal remedies for patients in the intensive care unit, (3);110–112
Ihlenfeld JT. Research abstracts, (1); 33–34
Ihlenfeld JT. Research abstracts, (2); 87–88
Ihlenfeld JT. Research abstracts, (3); 128–129
Ihlenfeld JT. Research abstracts, (4); 183–184
Ihlenfeld JT. Research abstracts, (5); 243–244
Ihlenfeld JT. Research abstracts, (6); 283–284
Ihlenfeld JT. Should we allow children to visit ill parents in intensive care units?, (6);269–271

Kanan N. *See* Çelik SA
Keeling AW. *See* Dumont CJP
Kehl-Pruett W. Deep vein thrombosis in hospitalized patients: a review of evidence-based guidelines for prevention, (2);53–59
Kelly J. An overview of conflict, (1);22–28
Keresztes PA, Brick K. Therapeutic hypothermia after cardiac arrest, (2);71–76
King C. *See* Ruth-Sahd LA

Lanter J. Clinical research with cognitively impaired subjects: issues for nurses, (2);89–92
La Pine MP, Malcomson FN, Torrance JM, Marsh NV. Night shift: can a homeopathic remedy alleviate shift lag?, (3);130–136
Lindberg E. Competence in critical care: what it is and how to gain it: a qualitative study from the staff's point of view, (2);77–81
Liu LM. *See* Giuliano KK

Malcomson FN. *See* La Pine MP
Mannahan C. *See* Hays MA
Marsh NV. *See* La Pine MP
Marthaler MT. Reply to letter to the editor, (3);144
Martin M, Hurst S. Innovative solutions: pharmacy and nursing collaboration on a high-risk medication project, (1);29–32
May WA Jr. He's got a gun! weapons in the emergency room—you can survive!, (2);82–85
Maybee P. *See* Atkinson SB
McDougall G. *See* Clark AP
McGrail MR. *See* Rickard CM
McGowan N. The recognition and treatment of amyloidosis in the critical care patient, (4);161–164
Miracle VA. Coronary artery disease in women: the myth still exists, (5);209–215
Miracle VA. End of life—personal experiences, (4);195–196
Miracle VA. Giving thanks, (6);288
Miracle VA. One of those days, (3);147
Miracle VA. *See* Sims JM
Miracle VA. Strategies to meet the needs of families of critically ill patients, (3);121–125

Overmeyer K. Letter to the editor, (3);143
O'Donnell C. *See* Crimlisk JT

Palmer KM. Abdominal pain due to acute intermittent porphyria: when is the sound of hoof-beats not horses, but zebras? a case report, (3);103–109
Parten C. *See* Godfrey B
Purgason K. Broken hearts: differentiating stress-induced cardiomyopathy from acute myocardial infarction in the patient presenting with acute coronary syndrome, (6);247–253

Redick E. Book review, (2);86
Rickard CM, Roberts BL, Foote J, McGrail MR. Intensive care research coordinators: who are they and what do they do?: results of a binational survey, (5);234–242
Roberts BL. *See* Rickard CM
Ruth-Sahd L, King C. A diamond in the rough, to a polished gemstone ring: writing for publication in a nursing journal, (3);113–120
Ruth-Sahd L, Gonzales M. Multiple dimensions of caring for a patient with acute necrotizing fasciitis, (1);15–21
Ruth-Sahd LA. Book review, (4);182

Sarembock IJ. *See* Dumont CJP
Sims JM, Miracle VA. A look at critical care visitation: the case for flexible visitation, (4);175–181
Sims JM. An Overview of Asthma, (6);264–268
Sizemore R. Separating medical and ethical: helping families determine the best interests of loved ones, (5);216–220
Southby HV. A personal reflection: tactile music therapy at night for patients on ECMO in the pediatric intensive care setting, (4);172–174
Stoltzfus S. The role of noninvasive ventilation: CPAP and BiPAP in the treatment of congestive heart failure, (2);66–70

Torrance JM. *See* La Pine MP
Tuite PK. *See* Hsieh H-Y
Turner M. *See* Dumont CJP

Veenema TG. *See* Bernardo LM

Wallace D. *See* Hays MA

SUBJECT INDEX

A

Abdominal pain
Abdominal pain due to acute intermittent porphyria: When is the sound of hoof-beats not horses, but zebras? A case report, (3):103

Acute coronary syndrome
Broken hearts: Differentiating stress-induced cardiomyopathy from acute myocardial infarction in the patient presenting with acute coronary syndrome, (6):247

Acute intermittent porphyria
Abdominal pain due to acute intermittent porphyria: When is the sound of hoof-beats not horses, but zebras? A case report, (3):103

Adolescents
Body mass index basics for critical care nurses, (4):157
Follow-up of long-term use of dexamethasone in premature infants shows health benefits as teenagers (research abstract), (2):87

Advance directives
Texas Advance Directives Act helps families make healthcare decisions (research abstract), (5):243

Advanced life support
Therapeutic hypothermia after cardiac arrest, (2):71

Airway disease
An overview of asthma, (6):264

Amyloidosis
The recognition and treatment of amyloidosis in the critical care patient, (4):161

Asthma
An overview of asthma, (6):264

B

Bilevel positive airway pressure
The role of noninvasive ventilation:

CPAP and BiPAP in the treatment of congestive heart failure, (2):66
Biomarker
B-type natriuretic peptide rapid assay: A diagnostic test for heart failure, (4):149
Body mass index
Body mass index basics for critical care nurses, (4):157
Book reviews
AACN Protocols for Practice: Noninvasive Monitoring, by SM Burns (Ed.), (6):272
Caring for the Caregiver: 8 Truths to Prolong Your Career, by MA Sherburn, (4):182
Case Studies in Nursing Ethics, 3/e, by ST Fry and RM Veatch, (3):127
Critical Thinking and Clinical Judgment, by Marilyn Jackson, Donna D. Ignatavicius and Betty Case, (5):226
Essentials of Patient Education, by SB Bastable, (3):126
Smart Technology for Aging, Disability and Independence: The State of the Science, by William C. Mann (Ed.), (2):86
Synergy for Clinical Excellence: The AACN Synergy Model for Patient Care, by Sonya R. Hardin and Roberta Kaplow, (5):227
Brain
Anatomy and physiology of neurological compensatory mechanisms, (5):197
Chorioamnionitis found not to be related to prematurity (research abstract), (5):243
Bronchopulmonary dysplasia
Lucinactant is better than poractant alfa in preventing BPD in premature infants (research abstract), (3):128
Lucinactant reduces RDS and BPD in very low birth weight infants (research abstract), (3):128

C

Cardiac arrest
Therapeutic hypothermia after cardiac arrest, (2):71
Cardiac catheterization
Predictors of vascular complications post diagnostic cardiac catheterization and percutaneous coronary interventions, (3):137
Cardiomyopathy
Broken hearts: Differentiating stress-induced cardiomyopathy from acute myocardial infarction in the patient presenting with acute coronary syndrome, (6):247
Cardiorespiratory system
Cardiorespiratory monitor use in infants can be predicted based on initial usage and family factors (research abstract), (1):33
Centers for Disease Control
A message from the Centers for Disease Control, (6):273
Central nervous system
Anatomy and physiology of neurological compensatory mechanisms, (5):197
The challenges of managing and treating Guillain-Barré syndrome during the acute phase, (6):256
Chorioamnionitis found not to be related to prematurity (research abstract), (5):243
Cerebral ischemia
Anatomy and physiology of neurological compensatory mechanisms, (5):197
Children. *See also* Pediatrics
Body mass index basics for critical care nurses, (4):157
Should we allow children to visit ill parents in intensive care units?, (6):269
Chorioamnionitis
Chorioamnionitis found not to be related to prematurity (research abstract), (5):243
Circadian rhythms
Night shift: Can a homeopathic remedy alleviate shift lag?, (3):130
Cognitive impairment
Clinical research with cognitively impaired subjects: Issues for nurses, (2):89
Cognitive impairment in heart failure, (3):93
Community hospital
Innovative solutions: Development and implementation of a tight blood glucose management protocol: One community hospital's experience, (2):62
Compensatory mechanisms, neurological
Anatomy and physiology of neurological compensatory mechanisms, (5):197
Competence
Competence in critical care: What it is and how to gain it: A qualitative study from the staff's point of view, (2):77
Complementary and alternative modalities
Critically ill patients' use of complementary and alternative modalities (editorial), (1):52
Managing requests regarding herbal remedies for patients in the intensive care unit, (3):110
Night shift: Can a homeopathic remedy alleviate shift lag?, (3):130
Conflict management
An overview of conflict, (1):22
Congestive heart failure
B-type natriuretic peptide rapid assay: A diagnostic test for heart failure, (4):149
The recognition and treatment of amyloidosis in the critical care patient, (4):161
A retrospective pilot study: Management of patients with heart failure, (5):228
The role of noninvasive ventilation: CPAP and BiPAP in the treatment of congestive heart failure, (2):66
Continuous positive airway pressure
The role of noninvasive ventilation: CPAP and BiPAP in the treatment of congestive heart failure, (2):66
Coping mechanisms
Reported stressors and ways of coping utilized by intensive care unit nurses, (4):185
Coronary artery disease
Coronary artery disease in women, (5):209
Cost-effectiveness
Standardizing adult tracheostomy tube styles: What is the clinical and cost-effective impact?, (1):35
Critically ill patients
Critically ill patients' use of complementary and alternative modalities (editorial), (1):52

A current conflict: Use of isotonic sodium chloride solution on endotracheal suctioning in critically ill patients, (1):11
Identification of special care needs: The comparison of the cardiothoracic intensive care unit patient and the nurse, (6):275
Should we allow children to visit ill parents in intensive care units?, (6):269
Strategies to meet the needs of families of critically ill patients, (3):121

D
Deep vein thrombosis
Deep vein thrombosis in hospitalized patients: A review of evidence-based guidelines for prevention, (2):53
Delivery, preterm
Health of women prior to pregnancy shown to affect incidence of preterm delivery (research abstract), (1):33
Dexamethasone
Follow-up of long-term use of dexamethasone in premature infants shows health benefits as teenagers (research abstract), (2):87

E
Editorials
Answering without an answer, (5):246
Critically ill patients' use of complementary and alternative modalities (editorial), (1):52
End of life—personal experiences, (4):196
Giving thanks, (6):288
Leadership, (2):93
One of those days?, (3):147
Education
He's got a gun! Weapons in the emergency room—You can survive, (2):82, (4):180 (erratum)
Innovative solutions: Pharmacy and nursing collaboration on a high-risk medication project, (1):29
A message from the Centers for Disease Control, (6):273
Embolism
Deep vein thrombosis in hospitalized patients: A review of evidence-based guidelines for prevention, (2):53
Emergency management
Abdominal pain due to acute intermittent porphyria: When is the sound of hoof-beats not horses, but zebras? A case report, (3):103
Treatment and prevention of pediatric heat-related illnesses at mass gatherings and special events, (4):165
Emergency room
He's got a gun! Weapons in the emergency room—You can survive, (2):82, (4):180 (erratum)
End-of-life care
Letter to the editor, (3):143, (3):144 (reply)
Separating medical and ethical: Helping families determine the best interests of loved ones, (5):216
Endotracheal suctioning
A current conflict: Use of isotonic sodium chloride solution on endotracheal suctioning in critically ill patients, (1):11
Ethical issues
Clinical research with cognitively impaired subjects: Issues for nurses, (2):89
Separating medical and ethical: Helping families determine the best interests of loved ones, (5):216
Texas Advance Directives Act helps families make healthcare decisions (research abstract), (5):243
Extracorporeal membrane oxygenation
A personal reflection: Tactile music therapy at night for patients on ECMO in the pediatric intensive care setting, (4):172

F
Families
Letter to the editor, (3):143, (3):144 (reply)
A look at critical care visitation: The case for flexible visitation, (4):175
Managing requests regarding herbal remedies for patients in the intensive care unit, (3):110
Separating medical and ethical: Helping families determine the best interests of loved ones, (5):216
Should we allow children to visit ill parents in intensive care units?, (6):269
Strategies to meet the needs of families of critically ill patients, (3):121
Texas Advance Directives Act helps families make healthcare decisions (research abstract), (5):243

G
Gender bias
Coronary artery disease in women, (5):209
Glucose management protocol
Innovative solutions: Development and implementation of a tight blood glucose management protocol: One community hospital's experience, (2):62
Guillain-Barré syndrome
The challenges of managing and treating Guillain-Barré syndrome during the acute phase, (6):256
Guns
He's got a gun! Weapons in the emergency room—You can survive, (2):82, (4):180 (erratum)

H
Heart disease
Broken hearts: Differentiating stress-induced cardiomyopathy from acute myocardial infarction in the patient presenting with acute coronary syndrome, (6):247
Coronary artery disease in women, (5):209
Heart failure. *See also* Congestive heart failure
Cognitive impairment in heart failure, (3):93
A retrospective pilot study: Management of patients with heart failure, (5):228
Heart rates
Subtle heart rates are predictive of neonatal sepsis (research abstract), (4):183
Heat-related illnesses
Treatment and prevention of pediatric heat-related illnesses at mass gatherings and special events, (4):165
Helicobacter pylori
Fecal antigen tests can identify pediatric cases of *H. pylori* (research abstract), (2):87

Herbal remedies
Managing requests regarding herbal remedies for patients in the intensive care unit, (3):110
High-risk/high-alert medications
Innovative solutions: Pharmacy and nursing collaboration on a high-risk medication project, (1):29
Homeopathy
Night shift: Can a homeopathic remedy alleviate shift lag?, (3):130
Hyperbaric oxygenation therapy
Multiple dimensions of caring for a patient with acute necrotizing fasciitis, (1):15
Hypothermia
Therapeutic hypothermia after cardiac arrest, (2):71

I
In memorium
Janet T. Ihlenfeld, PhD, RN, (5):226
Influenza vaccination
A message from the Centers for Disease Control, (6):273
Intensive care unit. *See also* Neonatal intensive care unit
Intensive care research coordinators: Who are they and what do they do?, (5):234
Managing requests regarding herbal remedies for patients in the intensive care unit, (3):110
Night shift: Can a homeopathic remedy alleviate shift lag?, (3):130
Prevention of ventilator-associated pneumonia, (5):205
Reported stressors and ways of coping utilized by intensive care unit nurses, (4):185
Should we allow children to visit ill parents in intensive care units?, (6):269
Intracranial pressure
Anatomy and physiology of neurological compensatory mechanisms, (5):197
Intubation
A current conflict: Use of isotonic sodium chloride solution on endotracheal suctioning in critically ill patients, (1):11
Standardizing adult tracheostomy tube styles: What is the clinical and cost-effective impact?, (1):35

J
JCAHO
Innovative solutions: Pharmacy and nursing collaboration on a high-risk medication project, (1):29
Prevention of ventilator-associated pneumonia, (5):205

K
Kidney
The effects of vasopressin on the renal system in vasodilatory shock, (1):1

L
Leadership
An overview of conflict, (1):22
Competence in critical care: What it is and how to gain it: A qualitative study from the staff's point of view, (2):77
A diamond in the rough, to a polished gemstone ring: Writing for publication in a nursing journal, (3):113
A look at critical care visitation: The case for flexible visitation, (4):175
A personal reflection: Tactile music therapy at night for patients on ECMO in the pediatric intensive care setting, (4):172
Root cause analysis and nursing management responsibilities in wrong-site surgery, (5):221
Separating medical and ethical: Helping families determine the best interests of loved ones, (5):216
Should we allow children to visit ill parents in intensive care units?, (6):269
Strategies to meet the needs of families of critically ill patients, (3):121
Legal issues
Separating medical and ethical: Helping families determine the best interests of loved ones, (5):216
Letter to the editor
End-of-life care, (3):143, (3):144 (reply)
Literature review
A diamond in the rough, to a polished gemstone ring: Writing for publication in a nursing journal, (3):113
Low birth weight infants
Characteristics differ according to region in rates low-birth-weight infants (research abstract), (4):183
Lucinactant reduces RDS and BPD in very low birth weight infants (research abstract), (3):128
Lucinactant
Lucinactant is better than poractant alfa in preventing BPD in premature infants (research abstract), (3):128
Lucinactant reduces RDS and BPD in very low birth weight infants (research abstract), (3):128

M
Mass gathering or special event
Treatment and prevention of pediatric heat-related illnesses at mass gatherings and special events, (4):165
Medications
Innovative solutions: Pharmacy and nursing collaboration on a high-risk medication project, (1):29
Memory
Cognitive impairment in heart failure, (3):93
Minerals
Managing requests regarding herbal remedies for patients in the intensive care unit, (3):110
Muscle weakness
The challenges of managing and treating Guillain-Barré syndrome during the acute phase, (6):256
Music therapy
A personal reflection: Tactile music therapy at night for patients on ECMO in the pediatric intensive care setting, (4):172
Myocardial infarction
Broken hearts: Differentiating stress-induced cardiomyopathy from acute myocardial infarction in the patient presenting with acute coronary syndrome, (6):247

N
Natriuretic peptide, B-type
B-type natriuretic peptide rapid assay: A diagnostic test for heart failure, (4):149
Necrotizing fasciitis
Multiple dimensions of caring for a patient with acute necrotizing fasciitis, (1):15

Neonatal intensive care unit
'Parental role conflict' nursing diagnosis validated for neonatal intensive care unit use (research abstract), (6):283
A personal reflection: Tactile music therapy at night for patients on ECMO in the pediatric intensive care setting, (4):172
Radiation doses of x-rays in premature infants found to be low (research abstract), (6):283
Texas Advance Directives Act helps families make healthcare decisions (research abstract), (5):243
Neonatal sepsis
Subtle heart rates are predictive of neonatal sepsis (research abstract), (4):183
Neurology/Neurologic disease
Anatomy and physiology of neurological compensatory mechanisms, (5):197
The challenges of managing and treating Guillain-Barré syndrome during the acute phase, (6):256
Chorioamnionitis found not to be related to prematurity (research abstract), (5):243
Noninvasive ventilation
The role of noninvasive ventilation: CPAP and BiPAP in the treatment of congestive heart failure, (2):66
No-Shift-Lag
Night shift: Can a homeopathic remedy alleviate shift lag?, (3):130
Nurse coordinator
Intensive care research coordinators: Who are they and what do they do?, (5):234
Nursing diagnoses
'Parental role conflict' nursing diagnosis validated for neonatal intensive care unit use (research abstract), (6):283
Nursing staff
Competence in critical care: What it is and how to gain it: A qualitative study from the staff's point of view, (2):77
Identification of special care needs: The comparison of the cardiothoracic intensive care unit patient and the nurse, (6):275
Night shift: Can a homeopathic remedy alleviate shift lag?, (3):130
Reported stressors and ways of coping utilized by intensive care unit nurses, (4):185

O
Obesity
Body mass index basics for critical care nurses, (4):157
Overweight youth
Body mass index basics for critical care nurses, (4):157
Oximetry
Knowledge of pulse oximetry among critical care nurses, (1):44
Oxygen management
Knowledge of pulse oximetry among critical care nurses, (1):44

P
Pain, abdominal
Abdominal pain due to acute intermittent porphyria: When is the sound of hoof-beats not horses, but zebras? A case report, (3):103
Paralysis
The challenges of managing and treating Guillain-Barré syndrome during the acute phase, (6):256
Patient needs
Identification of special care needs: The comparison of the cardiothoracic intensive care unit patient and the nurse, (6):275
Patient safety
Root cause analysis and nursing management responsibilities in wrong-site surgery, (5):221
Pediatric intensive care unit. *See also* Neonatal intensive care unit
A personal reflection: Tactile music therapy at night for patients on ECMO in the pediatric intensive care setting, (4):172
Pediatrics
Body mass index basics for critical care nurses, (4):157
Cardiorespiratory monitor use in infants can be predicted based on initial usage and family factors (research abstract), (1):33
Characteristics differ according to region in rates low-birth-weight infants (research abstract), (4):183
Chorioamnionitis found not to be related to prematurity (research abstract), (5):243
Fecal antigen tests can identify pediatric cases of *H. pylori* (research abstract), (2):87
Follow-up of long-term use of dexamethasone in premature infants shows health benefits as teenagers (research abstract), (2):87
Lucinactant reduces RDS and BPD in very low birth weight infants (research abstract), (3):128
'Parental role conflict' nursing diagnosis validated for neonatal intensive care unit use (research abstract), (6):283
A personal reflection: Tactile music therapy at night for patients on ECMO in the pediatric intensive care setting, (4):172
Radiation doses of x-rays in premature infants found to be low (research abstract), (6):283
Subtle heart rates are predictive of neonatal sepsis (research abstract), (4):183
Texas Advance Directives Act helps families make healthcare decisions (research abstract), (5):243
Treatment and prevention of pediatric heat-related illnesses at mass gatherings and special events, (4):165
Percutaneous coronary intervention
Predictors of vascular complications post diagnostic cardiac catheterization and percutaneous coronary interventions, (3):137
Pharmacy
Innovative solutions: Pharmacy and nursing collaboration on a high-risk medication project, (1):29
Pneumonia
Prevention of ventilator-associated pneumonia, (5):205
Poractant alfa
Lucinactant is better than poractant alfa in preventing BPD in premature infants (research abstract), (3):128
Porphyria
Abdominal pain due to acute intermittent porphyria: When is the sound of hoof-beats not horses, but zebras? A case report, (3):103

Pregnancy
Health of women prior to pregnancy shown to affect incidence of preterm delivery (research abstract), (1):33
Premature infants
Chorioamnionitis found not to be related to prematurity (research abstract), (5):243
Follow-up of long-term use of dexamethasone in premature infants shows health benefits as teenagers (research abstract), (2):87
Lucinactant is better than poractant alfa in preventing BPD in premature infants (research abstract), (3):128
Lucinactant reduces RDS and BPD in very low birth weight infants (research abstract), (3):128
Radiation doses of x-rays in premature infants found to be low (research abstract), (6):283
Preterm delivery
Health of women prior to pregnancy shown to affect incidence of preterm delivery (research abstract), (1):33
Prevention
Deep vein thrombosis in hospitalized patients: A review of evidence-based guidelines for prevention, (2):53
Publishing
A diamond in the rough, to a polished gemstone ring: Writing for publication in a nursing journal, (3):113
Pulmonary complications
Prevention of ventilator-associated pneumonia, (5):205
Pulse oximetry
Knowledge of pulse oximetry among critical care nurses, (1):44

Q
Quality of life
Separating medical and ethical: Helping families determine the best interests of loved ones, (5):216

R
Radiology
Radiation doses of x-rays in premature infants found to be low (research abstract), (6):283
Renal system
The effects of vasopressin on the renal system in vasodilatory shock, (1):1
Research
Clinical research with cognitively impaired subjects: Issues for nurses, (2):89
Competence in critical care: What it is and how to gain it: A qualitative study from the staff's point of view, (2):77
Identification of special care needs: The comparison of the cardiothoracic intensive care unit patient and the nurse, (6):275
Intensive care research coordinators: Who are they and what do they do?, (5):234
Knowledge of pulse oximetry among critical care nurses, (1):44
Night shift: Can a homeopathic remedy alleviate shift lag?, (3):130
Predictors of vascular complications post diagnostic cardiac catheterization and percutaneous coronary interventions, (3):137
Reported stressors and ways of coping utilized by intensive care unit nurses, (4):185
A retrospective pilot study: Management of patients with heart failure, (5):228
Standardizing adult tracheostomy tube styles: What is the clinical and cost-effective impact?, (1):35
Research coordinator
Intensive care research coordinators: Who are they and what do they do?, (5):234
Respiratory care
Standardizing adult tracheostomy tube styles: What is the clinical and cost-effective impact?, (1):35
Respiratory disease
An overview of asthma, (6):264
Respiratory distress syndrome
Lucinactant reduces RDS and BPD in very low birth weight infants (research abstract), (3):128
Risk factors
Deep vein thrombosis in hospitalized patients: A review of evidence-based guidelines for prevention, (2):53
Predictors of vascular complications post diagnostic cardiac catheterization and percutaneous coronary interventions, (3):137
Prevention of ventilator-associated pneumonia, (5):205
Root cause analysis
Root cause analysis and nursing management responsibilities in wrong-site surgery, (5):221

S
Sentinel events
Root cause analysis and nursing management responsibilities in wrong-site surgery, (5):221
Sepsis
The effects of vasopressin on the renal system in vasodilatory shock, (1):1
Subtle heart rates are predictive of neonatal sepsis (research abstract), (4):183
Shift work
Night shift: Can a homeopathic remedy. alleviate shift lag?, (3):130
Shock, vasodilatory
The effects of vasopressin on the renal system in vasodilatory shock, (1):1
Sodium chloride
A current conflict: Use of isotonic sodium chloride solution on endotracheal suctioning in critically ill patients, (1):11
Special care needs
Identification of special care needs: The comparison of the cardiothoracic intensive care unit patient and the nurse, (6):275
Status asthmaticus
An overview of asthma, (6):264
Stress-induced cardiomyopathy
Broken hearts: Differentiating stress-induced cardiomyopathy from acute myocardial infarction in the patient presenting with acute coronary syndrome, (6):247
Stressors
Reported stressors and ways of coping utilized by intensive care unit nurses, (4):185
Sudden infant death syndrome
Cardiorespiratory monitor use in infants can be predicted based on

initial usage and family factors (research abstract), (1):33
Surfactant therapy
Lucinactant is better than poractant alfa in preventing BPD in premature infants (research abstract), (3):128
Lucinactant reduces RDS and BPD in very low birth weight infants (research abstract), (3):128
Surgery
Root cause analysis and nursing management responsibilities in wrong-site surgery, (5):221

T
Technology
Knowledge of pulse oximetry among critical care nurses, (1):44
Terminal care
Letter to the editor, (3):143, (3):144 (reply)
Texas Advance Directives Act helps families make healthcare decisions (research abstract), (5):243
Thrombosis
Deep vein thrombosis in hospitalized patients: A review of evidence-based guidelines for prevention, (2):53
Tracheostomy tubes
Standardizing adult tracheostomy tube styles: What is the clinical and cost-effective impact?, (1):35

V
Vaccination
A message from the Centers for Disease Control, (6):273
Vascular complications
Predictors of vascular complications post diagnostic cardiac catheterization and percutaneous coronary interventions, (3):137
Vasodilatory shock
The effects of vasopressin on the renal system in vasodilatory shock, (1):1
Vasopressin
The effects of vasopressin on the renal system in vasodilatory shock, (1):1
Ventilator-associated pneumonia
Prevention of ventilator-associated pneumonia, (5):205
Violence
He's got a gun! Weapons in the emergency room—You can survive, (2):82, (4):180 (erratum)
Visitation
A look at critical care visitation: The case for flexible visitation, (4):175
Should we allow children to visit ill parents in intensive care units?, (6):269
Strategies to meet the needs of families of critically ill patients, (3):121
Vitamins
Managing requests regarding herbal remedies for patients in the intensive care unit, (3):110

W
Weight loss
The recognition and treatment of amyloidosis in the critical care patient, (4):161
Women
Coronary artery disease in women, (5):209
Health of women prior to pregnancy shown to affect incidence of preterm delivery (research abstract), (1):33
Work environment
Reported stressors and ways of coping utilized by intensive care unit nurses, (4):185
Wound care
Multiple dimensions of caring for a patient with acute necrotizing fasciitis, (1):15
Writing
A diamond in the rough, to a polished gemstone ring: Writing for publication in a nursing journal, (3):113
Wrong-site surgery
Root cause analysis and nursing management responsibilities in wrong-site surgery, (5):221